

A measure of distance between judgment sets

Conal Duddy and Ashley Piggins

Working Paper No. 0169

February 2011

Department of Economics
National University of Ireland, Galway

<http://www.economics.nuigalway.ie>

A measure of distance between judgment sets*

Conal Duddy[†] and Ashley Piggins[‡]

February 10, 2011

Abstract

In the literature on judgment aggregation, an important open question is how to measure the distance between any two judgment sets. This is relevant for issues of social choice: if two individuals hold different beliefs then we might want to find a compromise that lies somewhere between them. We propose a set of axioms that determine a measure of distance uniquely. This measure differs from the widely used Hamming metric. The difference between Hamming's metric and ours boils down to one axiom. Given judgment sets A and B , this axiom says that if the propositions in $A \cap B$ jointly imply that the propositions in $A - B$ share the same truth value, then the disagreement between A and B over those propositions in $A - B$ should be counted as a single disagreement. We consider the application of our metric to judgment aggregation, and also use the metric to measure the distance between preference rankings.

*Financial support from the Irish Research Council for the Humanities and Social Sciences, the Spanish Ministry of Science and Innovation through MICINN/FEDER grant ECO2010-21624 and the NUI Galway Millennium Fund is gratefully acknowledged. We are grateful for the comments of Maurice Salles, Nick Tosh and two anonymous referees.

[†]Government of Ireland Scholar, J.E. Cairnes School of Business and Economics, National University of Ireland Galway, University Road, Galway, Ireland. Email: conal.duddy@nuigalway.ie

[‡]J.E. Cairnes School of Business and Economics, National University of Ireland Galway, University Road, Galway, Ireland. Email: ashley.piggins@nuigalway.ie

JEL classification: D71.

Keywords: Judgment sets, metrics.

1 Introduction

A large literature on judgment aggregation exists, motivated by List and Pettit's (2002) initial contribution.¹ The literature is concerned with aggregating profiles of individual judgment sets into a collective judgment set. What is a "judgment" set? First, consider a set of propositions that is finite and closed under negation (that is, if a proposition is contained in the set then so is its negation). This set is called the agenda. An (individual) judgment set is a subset of the agenda, containing those propositions that the individual believes to be true. A judgment set is complete if it contains one of every proposition/negation pair in the agenda. In this paper we assume that all judgment sets are complete. Consider the agenda $\{p, \neg p, q, \neg q, p \wedge q, \neg(p \wedge q)\}$. Since these propositions are logically interconnected, a judgment set must contain $p \wedge q$ if it contains both p and q . Another must contain $\neg(p \wedge q)$ if it contains both p and $\neg q$ and so on. These are requirements of logical consistency, and we assume that judgment sets are consistent in this sense.

How should we measure the distance between any two judgment sets? This is relevant for issues of social choice: if two individuals hold different beliefs then we might want to find a compromise that lies somewhere between them.²

The most widely used metric in the literature is the Hamming metric. This is simply the number of propositions over which the two individuals disagree. So the distance between $\{p, q, p \wedge q\}$ and $\{p, \neg q, \neg(p \wedge q)\}$ is 2. But therein lies the problem. The proposition $\neg(p \wedge q)$ is a logical consequence

¹List and Puppe (2009) is a survey to which we refer the interested reader. See also List and Polak (2010) which is an introduction to the symposium in *JET* on this topic.

²Pigozzi (2006) and Miller and Osherson (2009) discuss the distance-based approach to judgment aggregation.

of p and $\neg q$, and $p \wedge q$ is a logical consequence of p and q . So, given that the individuals both accept p , the disagreement over $p \wedge q$ is implied by the disagreement over q . The Hamming metric appears to be double counting because it ignores the fact that the propositions are logically interconnected.

We propose a set of axioms that determine an alternative metric uniquely. This metric avoids the problem identified in the previous example. The metric is based around the idea of “betweenness”. Judgment set C is between judgment sets A and B if A , B and C are distinct and, on each proposition, C agrees with A or with B (or both). This concept of betweenness is similar to one used by Kemeny and Snell in their characterization of the well-known Kemeny measure of distance between preference rankings.³

We now explain our metric. Imagine a graph where each feasible judgment set is a vertex. We join two judgment sets with an edge if there is no other judgment set between them. The distance between two judgment sets is the length of the shortest path from one to the other.

Therefore, the distance from $\{p, \neg q, \neg(p \wedge q)\}$ to $\{p, q, p \wedge q\}$ is just 1, even though they differ on 2 propositions. The sets $\{p, \neg q, \neg(p \wedge q)\}$ and $\{\neg p, q, \neg(p \wedge q)\}$ also differ on 2 propositions, but the distance between them is 2.

The graph in this example is represented in Figure 1.




Figure 1: Graph with judgment sets as vertices.

³See Kemeny and Snell (1962, Chapter 2). We discuss Kemeny and Snell’s contribution in Section 3.2.

Here is another way of thinking about our metric. To switch from $\{p, q, p \wedge q\}$ to $\{p, \neg q, \neg(p \wedge q)\}$ requires just one change in belief (q to $\neg q$, for instance). The distance between two judgment sets is the smallest number of logically coherent changes needed to convert one into the other.

The classic “doctrinal paradox” provides a more complex example.⁴ Here the agenda is $\{p, \neg p, q, \neg q, r, \neg r, ((p \wedge q) \leftrightarrow r), \neg((p \wedge q) \leftrightarrow r)\}$. The corresponding graph is represented in Figure 2.




Figure 2: Graph for the doctrinal paradox agenda.

In Figure 2, $A = \{p, q, r, (p \wedge q) \leftrightarrow r\}$, $B = \{p, \neg q, \neg r, (p \wedge q) \leftrightarrow r\}$, $C = \{\neg p, \neg q, \neg r, (p \wedge q) \leftrightarrow r\}$ and $D = \{\neg p, q, \neg r, (p \wedge q) \leftrightarrow r\}$. Like before, we connect two judgment sets with an edge if there is no judgment set between them. As we can see, no judgment set is more than a distance of 2 away from any other.

It is worth pointing out that the Hamming distance between two judgment sets can also be calculated by determining the length of a shortest path in an unweighted graph. To see this, note that our notion of betweenness can be applied to all complete judgment sets, not just consistent ones. If we admit

⁴Kornhauser (1992) and Kornhauser and Sager (1993).

these inconsistent judgment sets, then (returning to our original example) the graph is as illustrated in Figure 3.




Figure 3: Graph with all complete judgment sets as vertices.

The Hamming distance between $\{p, \neg q, \neg(p \wedge q)\}$ and $\{p, q, p \wedge q\}$ is 2, the length of the shortest path between them.

Here is an outline of the paper. Section 2 contains an axiomatisation of our metric. In Section 3.1 we consider the application of our metric to distance-based judgment aggregation. We show, using a natural distance-based procedure, that our metric can produce a different collective outcome than that which would arise under Hamming’s metric. The two metrics differ then in their implication. We also show that our metric can produce a different collective outcome than that which would arise under a “premiss-based” approach to judgment aggregation. In Section 3.2 we use the metric to measure the distance between preference rankings. The final section concludes.

2 Axiomatisation

In this section, we provide an axiomatisation of our metric.

For any given agenda, let \mathcal{F} be the set of all complete and consistent judgment sets. A measure of distance between judgment sets A and B will be denoted by $d(A, B)$ where $d : \mathcal{F} \times \mathcal{F} \rightarrow \mathbb{R}$.

The first three axioms say that d is a metric.

Axiom 1. $d(A, B) = 0$ if and only if $A = B$.

Axiom 2. $d(A, B) = d(B, A)$.

Axiom 3. $d(A, B) \leq d(A, C) + d(C, B)$.

For all $A, B, C \in \mathcal{F}$, we say that C is between A and B if and only if $A \neq C \neq B$ and $(A \cap B) \subset C$. We use the word “between” here not in the geometric sense but rather to mean that C represents a compromise between A and B .

Axiom 4. If there is a judgment set between A and B then there exists $C \in \mathcal{F} - \{A, B\}$ such that $d(A, B) = d(A, C) + d(C, B)$.

Axiom 4 requires that the distance function should at least partially reflect the concept of betweenness defined above. The axiom states that when there is a judgment set between A and B according to that definition, then there should also be a judgment set between them in the geometric sense. We do not go so far as to make the additional requirement that the judgment sets that are between A and B in the former sense are the same as the judgment sets that are between A and B in the latter sense.

It is important to note that the Hamming metric satisfies Axiom 4. Moreover, that additional requirement, that the two concepts of betweenness coincide, is also satisfied by that measure of distance (this is illustrated in Figure 3).

The critical axiom is Axiom 5.

Axiom 5. If there is no judgment set between A and B then $d(A, B) = 1$.

Hamming's metric violates Axiom 5. No judgment set exists between $\{p, q, p \wedge q\}$ and $\{p, \neg q, \neg(p \wedge q)\}$ yet the Hamming distance between them is 2.

Here is our justification for Axiom 5. Take two distinct judgment sets A and B that have no judgment set between them. This means that there is no judgment set in $\mathcal{F} - \{A, B\}$ that is a superset of $A \cap B$. Therefore, if one accepts the propositions in $A \cap B$ then one must either accept every proposition in $A - B$ or reject every proposition in $A - B$. In other words, if the propositions in $A \cap B$ are true, then the propositions in $A - B$ are logically equivalent. Since A and B both accept the propositions in $A \cap B$, the disagreement between A and B over the propositions in $A - B$ should simply count as one disagreement. Hence, $d(A, B) = 1$.

The argument above is perfectly general, but the examples below may help clarify it.

Example 1. The agenda is $\{p, \neg p, q, \neg q, p \wedge q, \neg(p \wedge q)\}$. Let $A = \{p, q, p \wedge q\}$ and $B = \{p, \neg q, \neg(p \wedge q)\}$. $A \cap B = \{p\}$ and there is no judgment set in $\mathcal{F} - \{A, B\}$ that is a superset of $A \cap B$. Note that $A - B = \{q, p \wedge q\}$. Consider the following truth table.

p	q	$p \wedge q$
T	T	T
T	F	F

Both A and B agree that p is true. Given this, there are only two possibilities. Either you accept both q and $p \wedge q$, or you reject both q and $p \wedge q$ (and accept $\neg q$ and $\neg(p \wedge q)$). Judgment set A takes the former route, judgment set B takes the latter route. However, notice from the truth table that from the perspective of proposition p (which both A and B agree is true), the propositions q and $p \wedge q$ are logically equivalent. Given this, the different truth values assigned to these propositions by A and B should count as

reflecting just one disagreement, and so $d(A, B)$ should be one. Hamming's metric counts them as reflecting two disagreements.

Example 2. The agenda is $\{p, \neg p, q, \neg q, r, \neg r, ((p \wedge q) \leftrightarrow r), \neg((p \wedge q) \leftrightarrow r)\}$. Let $A = \{p, q, \neg r, \neg((p \wedge q) \leftrightarrow r)\}$ and $B = \{\neg p, q, \neg r, ((p \wedge q) \leftrightarrow r)\}$. $A \cap B = \{q, \neg r\}$ and there is no judgment set in $\mathcal{F} - \{A, B\}$ that is a superset of $A \cap B$. Note that $A - B = \{p, \neg((p \wedge q) \leftrightarrow r)\}$. Consider the following truth table.

q	$\neg r$	p	$\neg((p \wedge q) \leftrightarrow r)$
T	T	T	T
T	T	F	F

Both A and B accept q and $\neg r$. Given this, there are only two possibilities. Either you accept both p and $\neg((p \wedge q) \leftrightarrow r)$, or you reject both p and $\neg((p \wedge q) \leftrightarrow r)$ (and accept $\neg p$ and $((p \wedge q) \leftrightarrow r)$). Judgment set A takes the former route, judgment set B takes the latter route. However, notice from the truth table that from the perspective of the set of propositions $\{q, \neg r\}$ (which both A and B accept), the propositions p and $\neg((p \wedge q) \leftrightarrow r)$ are logically equivalent. Given this, the different truth values assigned to these propositions by A and B should count as reflecting just one disagreement, and so $d(A, B)$ should be one. Hamming's metric counts them as reflecting two disagreements.

These examples help clarify our argument for Axiom 5.

We now present our theorem.

Let $\mathcal{G} = (\mathcal{V}, \mathcal{E})$ be a graph with the same number of vertices as there are judgment sets in \mathcal{F} , and a set of edges \mathcal{E} defined as follows. Let v be a bijection from \mathcal{F} to the set of vertices \mathcal{V} . For all $A, B \in \mathcal{F}$, the set of edges \mathcal{E} contains $\{v(A), v(B)\}$ if and only if there is no judgment set between A and B .

Define a function g with domain $\mathcal{F} \times \mathcal{F}$ as follows. For all $A, B \in \mathcal{F}$, $g(A, B)$ is equal to the length of a shortest path from $v(A)$ to $v(B)$ in graph \mathcal{G} .

Our theorem is the following.⁵

Theorem. *The function g is unique in satisfying all of the axioms.*

Proof. We first prove that g satisfies Axioms 1 to 5. It suffices to check that the graph \mathcal{G} is connected. This means that it is possible to find a path from any vertex to any other vertex of \mathcal{G} .⁶ Let us note here that, for all $A, B, C, D \in \mathcal{F}$, (i) if C is between A and B then B is not between A and C , and (ii) if C is between A and B , but D is not between A and B then D is not between A and C . These two statements are easy to verify. Now let us suppose that there exist $A, B \in \mathcal{F}$ such that there is no path from $v(A)$ to $v(B)$ in graph \mathcal{G} . It follows that $\{v(A), v(B)\}$ is not contained in the set of edges \mathcal{E} . Recalling the definition of \mathcal{G} , we see that there must exist $C \in \mathcal{F} - \{A, B\}$ such that C is between A and B . Of course, as there is no path connecting $v(A)$ and $v(B)$, $v(C)$ cannot be connected to *both* $v(A)$ and $v(B)$. Assume without loss of generality that $v(A)$ and $v(C)$ are not connected. So there must exist $D \in \mathcal{F} - \{A, C\}$ such that D is between A and C , and $v(D)$ cannot be connected to both $v(A)$ and $v(C)$. It is implied by (i) and (ii) above that $D \in \mathcal{F} - \{A, B, C\}$. By repeatedly applying this type of argument we see that the set \mathcal{F} must be infinite. This is a contradiction. So we conclude that \mathcal{G} is connected.

We now prove that no other metric satisfies all of the axioms. Let d be a metric satisfying all of the axioms. We claim that $d = g$.

By construction, $g(A, B) = 1$ implies that there is no judgment set between A and B . So, by Axiom 5, if $n = 1$ then $g(A, B) = n$ implies

⁵We are grateful to a referee for suggesting a shortening of our original proof.

⁶Our g function is the standard concept of distance in graph theory, commonly known as the geodesic distance. If \mathcal{G} is connected then we can be sure that g satisfies all of our axioms.

$d(A, B) = n$. We proceed by induction on n . Fix any $n \in \mathbb{N}$ and assume that, for all $k \in \{1, \dots, n\}$ and all $A, B \in \mathcal{F}$, if $g(A, B) = k$ then $d(A, B) = k$. Take two judgment sets $A, B \in \mathcal{F}$ with $g(A, B) = n + 1$. Consider any judgment set C that is on a shortest path from A to B in graph \mathcal{G} . Since $g(A, C)$ and $g(C, B)$ are in $\{1, 2, \dots, n\}$, we know that $d(A, C) = g(A, C)$ and $d(C, B) = g(C, B)$. It follows that $d(A, C) + d(C, B) = n + 1$ and so $d(A, B) \leq n + 1$.

By Axiom 4, there is a judgment set D such that $d(A, B) = d(A, D) + d(D, B)$. If the path from A to D is greater than n steps then there must be an E such that $d(A, D) = d(A, E) + d(E, D)$. In this way, we can construct a sequence such that $d(A, B) = d(A, A_1) + d(A_1, A_2) + \dots + d(A_m, B)$, with each segment on the right-hand side requiring no more than n steps in the graph \mathcal{G} . In other words, $g(A, A_1) \leq n$, $g(A_1, A_2) \leq n$ and so on. By assumption then, for each of the segments, the distance given by d is the same as that given by g . The sum of these distances must be at least $n + 1$ since this is the length of the shortest path from A to B . Hence, $d(A, B) \geq n + 1$. Thus, $d(A, B) = n + 1$. \square

3 Applications

3.1 Judgment aggregation

The metric we have developed is useful in that it can be applied to distance-based judgment aggregation. A good argument can be made for the distance-based approach to judgment aggregation, and we outline that argument in this section. First, some background material.

Interest in a formal approach to judgment aggregation began after Kornhauser and Sager's (1993) celebrated example.

Suppose that there are three judges who must collectively decide on a case of breach of contract. The legal doctrine, which each judge accepts, states that the defendant owes compensation to the plaintiff (proposition r) if and

only if the contract between them is valid (proposition p) and the defendant broke it (proposition q). Suppose that the judges hold the following beliefs.

	p	q	$r \leftrightarrow (p \wedge q)$	r
Judge 1	T	T	T	T
Judge 2	F	T	T	F
Judge 3	T	F	T	F
Majority judgment	T	T	T	F

Table 1: The doctrinal paradox.

As we see, majority voting on each proposition results in the inconsistent collective judgment set $\{p, q, r \leftrightarrow (p \wedge q), \neg r\}$. Just as the majority voting paradox can be generalised through Arrow’s (1963) impossibility theorem, so can this “doctrinal paradox”. List and Pettit (2002) arrived at the first systematic result in this area by showing that no aggregation rule applied to an agenda containing certain propositions can satisfy four conditions. More general results have been obtained by Dietrich (2006, 2007), Dietrich and List (2009, 2010), Dokow and Holzman (2010) and Nehring and Puppe (2010) among others.⁷

A condition that has been central in the literature, particularly when deriving impossibility theorems, is the “independence” condition. This is the analog of the familiar “independence of irrelevant alternatives” condition from the preference aggregation literature. This condition says that the collective judgment on any proposition p within the agenda should depend only on individual judgments on p . To illustrate, majority voting on each proposition, as in Table 1, satisfies this condition.

The problem with the independence condition is that it cannot be reconciled with a commitment to democratic and collectively rational aggregation.

⁷A number of extensions of the basic judgment aggregation model have been proposed, most of which are discussed in List and Puppe (2009) and List and Polak (2010).

To be more precise, if the agenda satisfies certain combinatorial properties, and we want unanimous judgments to be respected at the collective level, then any independent aggregation rule is either dictatorial or produces logically inconsistent collective outcomes.⁸ Neither of these properties is desirable and so independence must be rejected.⁹

Various judgment aggregation rules exist that give up the independence condition. We consider two such rules in this paper: distance-based rules and premiss-based rules.

Distance-based rules were originally introduced in the area of belief merging in computer science.¹⁰ A distance-based rule maps each profile of individual judgment sets (J_1, \dots, J_n) to a consistent and complete collective judgment set J that minimizes the total distance from the individual judgment sets, i.e. selects a J such that $\sum_{i \in N} d(J, J_i)$ is minimised.¹¹ Distance-based rules capture the idea of reaching a compromise between different individuals' judgment sets. Miller and Osherson (2009) discuss other kinds of distance-based procedures, but the one above is the most natural.

Premiss-based procedures designate a subset of the agenda as a set of premisses and aggregate judgments on them by some independent rule, but allow the collective judgments on all other propositions (the non-premisses or “conclusions”) to depend on the resulting collective judgments on the premisses. In this way, logical consistency is “forced” on the collective judgment set by the collective judgments reached on the premisses. For example, in Table 1, if the premisses are $\{p, q, r \leftrightarrow (p \wedge q)\}$ and we use majority rule on these, then

⁸This is the central theorem in the literature. See Dokow and Holzman (2010), Dietrich and List (2007) and Nehring and Puppe (2002).

⁹In Duddy and Piggins (2010) we show how rejecting the independence condition can lead to a counterpart of the Borda rule in a “possible worlds” model of judgment aggregation. This approach began with List (2008). It is worth pointing out that for a certain family of many-valued models, independence is compatible with unanimity, non-dictatorship and a deductive closure condition. See Duddy and Piggins (2009).

¹⁰Konieczny and Pino Pérez (2002)

¹¹ N is the set of individuals and d is the metric.

we end up with the consistent collective judgment set $\{p, q, r \leftrightarrow (p \wedge q), r\}$.¹²

We consider some applications of our metric to distance-based judgment aggregation. We accomplish two things. First, we demonstrate that our metric can lead to a different collective outcome than that which would arise under Hamming’s metric. Second, we demonstrate that our metric can lead to a different collective outcome than that which would arise under a premiss-based approach to judgment aggregation.

Consider the agenda $\{p, \neg p, q, \neg q, (p \wedge q), \neg(p \wedge q)\}$. Consider the following profile. The graph corresponding to this agenda is given in Figure 1.

	p	q	$p \wedge q$
Two individuals	T	T	T
Two individuals	T	F	F
Three individuals	F	T	F
Majority judgment	T	T	F
Our metric	T	T	T
Hamming’s metric	F	T	F
Premiss-based rule	T	T	T

Table 2: Different outcome to Hamming’s.

In Table 2 we see that our metric and Hamming’s metric can generate different collective outcomes from the same profile. Premiss-based aggregation (under the natural assumption that the set of premisses is $\{p, q\}$) generates the same outcome at this profile as our metric does. In fact, these two procedures will generate the same outcome at every profile for this agenda.

However, premiss-based aggregation and distance-based aggregation with our metric can differ at other agendas. Consider the agenda $\{p, \neg p, q, \neg q, p \leftrightarrow$

¹²Dietrich and Mongin (2010) is the most general analysis of the premiss-based approach to date.

$q, \neg(p \leftrightarrow q)\}$. Consider the profile in Table 3. The graph corresponding to this agenda is given in Figure 4.

	p	q	$p \leftrightarrow q$
Two individuals	T	T	T
Two individuals	T	F	F
Three individuals	F	T	F
Our metric	F	T	F
Premiss-based	T	T	T

Table 3: A different outcome than the premiss-based approach.




Figure 4: Graph for agenda $\{p, \neg p, q, \neg q, p \leftrightarrow q, \neg(p \leftrightarrow q)\}$.

In Table 3 we see that the distance-based approach with our metric generates a different collective outcome than that which would arise under the premiss-based approach (again, under the natural assumption that the set of premisses is $\{p, q\}$). So it is not evident that distance-based judgment aggregation under our metric is biased towards premiss-based aggregation in general.

One property of the distance-based approach is that the judgment set that minimizes the total distance from the individual judgment sets may not be unique. For example, with the agenda $\{p, \neg p, q, \neg q, (p \wedge q), \neg(p \wedge q)\}$ if each complete and consistent judgment set is held by just one person, then

the distance-based approach produces a “tie”. In this case, every judgment set will minimise the total distance. Returning to the legal origins of the theory, we can interpret this as a situation in which a court is unable to reach a verdict. Notice, however, that a tie will not arise in the case of the classic doctrinal paradox (see Table 1). In that case, the collective judgment set is unique and corresponds to $\{p, q, r \leftrightarrow (p \wedge q), r\}$.

3.2 Preference rankings

Kemeny (1959) introduced a measure of distance between preference rankings that has become standard in the social choice literature. Here we model preference rankings by strict weak orders.¹³ While the Hamming distance between judgment sets A and B is $|A - B|$, the Kemeny distance between preference rankings R and R' is $|R - R'| + |R' - R|$. We can immediately see that the Kemeny distance is essentially the application of Hamming distance to strict weak orders. The addition of $|R' - R|$ is required because relations and judgment sets represent negation differently. The negation of xRy is represented by the absence of (x, y) from R , whereas the negation of a proposition p is represented by the *inclusion* of $\neg p$ in A (as well as the exclusion of p).

Kemeny and Snell (1962) present an axiomatisation of the Kemeny metric. We have followed their approach in this paper. They define “betweenness” in the same way that we do, although they use the word in the inclusive sense. For Kemeny and Snell, R' is between R and R'' if and only if $R \cap R'' \subseteq R' \subseteq R \cup R''$. It is equivalent to say R' is between R and R'' if and only if $J(R) \cap J(R'') \subseteq J(R')$ where $J(R)$ is the judgment set counterpart of R (which we will define below).

We outline here the six axioms used by Kemeny and Snell (K-S). Our Axioms 1 and 2 are the same as the first and second K-S axioms. The third

¹³By a strict weak order we mean a binary relation that is asymmetric and negatively transitive. We interpret incompleteness as indifference.

K-S axiom combines our Axiom 3 with the requirement that $d(R, R'') = d(R, R') + d(R', R'')$ if and only if R' is between R and R'' (inclusively). Note that this requirement is more demanding than our Axiom 4. The fourth K-S axiom is a standard neutrality condition, requiring that the names of the alternatives do not matter. The fifth K-S axiom states that if two rankings have the same top (or bottom) equivalence class then their distance can be calculated as if the items in that equivalence class were not being ranked. The final K-S axiom fixes a unit of measurement by requiring that the minimum positive distance is 1.

A measure of distance between judgment sets can be used to measure the distance between weak orders provided that we translate the orders into judgment sets. Let T be a two-place predicate and X a finite set of alternatives. Construct an agenda containing, for all $x, y \in X$, the propositions xTy and $\neg xTy$. Given a binary relation R over X , let us define its judgment set counterpart $J(R)$ as follows. For all $x, y \in X$, if xRy then $xTy \in J(R)$, otherwise $\neg xTy \in J(R)$. The set of feasible judgment sets contains all and only those judgment sets that correspond to strict weak orders over X . We can now see that the Kemeny distance from R to R' is equal to the Hamming distance from $J(R)$ to $J(R')$.

We now show how our metric can be used to measure the distance between strict weak orders. Abusing notation, we write $g(R, R')$ instead of $g(J(R), J(R'))$ in what follows. An important feature of our metric is that when there is no judgment set between A and B the distance from A to B is 1. This means that our metric, when applied to preference rankings, must be different to Kemeny's. To see this, suppose that R and R' are strict weak orders on $\{x, y, z\}$, with R ranking x first, and y and z tied second, while R' places all three items in the same equivalence class. The Kemeny distance is 2 since R' contains (y, x) and (z, x) while R excludes both of these. However, there is no preference ranking between R and R' (exclusively).

Let us briefly compare the Kemeny distance between orderings with

the distance as determined by our metric. Consider the relations $R = \{(x, y), (y, z), (x, z)\}$ and $R' = \{(y, x), (z, y), (z, x)\}$. Let k denote the Kemeny metric. We find that $k(R, R') = 6$ and $g(R, R') = 4$. One way of thinking about this distance is that the Kemeny metric k counts 6 steps:

$$\begin{array}{cccccccc} x & & x & & x & & z & & z \\ y & \rightarrow & x & \rightarrow & z & \rightarrow & xz & \rightarrow & x & \rightarrow & z & \rightarrow & y \\ z & & yz & & y & & y & & y & & xy & & x \end{array}$$

Our metric g counts 4 steps:

$$\begin{array}{ccccccc} x & & & & & & z \\ y & \rightarrow & x & \rightarrow & xyz & \rightarrow & z & \rightarrow & y \\ z & & yz & & & & xy & & x \end{array}$$

The distances determined by k and g do not always differ. Consider $R'' = \{(y, x), (y, z), (x, z)\}$. We find that $k(R, R'') = g(R, R'') = 2$. It is also true that $k(R'', R') = g(R'', R') = 4$. Indeed, this serves as an example of our metric violating the third K-S axiom. Note that R'' is between R and R' and yet $g(R, R') < g(R, R'') + g(R'', R')$. Our metric satisfies all of the other K-S axioms.

Suppose that we model preferences by *complete* strict orderings only.¹⁴ When indifference is not permitted it is natural to define the Kemeny distance between preference rankings P and P' as being $\frac{1}{2}(|P - P'| + |P' - P|)$, which is equal to $|P - P'|$. In the judgment set framework, the set of feasible judgment sets now contains only those judgment sets that correspond to complete strict orderings. Here we find that, for all P, P' , the Kemeny distance from P to P' is equal to the distance from $J(P)$ to $J(P')$ as determined by our metric.

We can think about the difference between the Kemeny metric and our

¹⁴By a complete strict ordering we mean a binary relation that is asymmetric, transitive and complete.

metric in the following way. Under the Kemeny metric, the path from R to R' requires 6 steps because, at each step, we can raise or lower the position of one alternative relative to *just one other* alternative. Under our metric, at each step we can raise or lower the position of one alternative relative to multiple other alternatives, provided those other alternatives are together in a single equivalence class. This is why the restriction to complete strict orderings eliminates the difference between the metrics.

4 Conclusion

We have identified a weakness with Hamming's metric when applied to judgment sets. Hamming's metric fails to respect the fact that propositions are logically interconnected, and this leads it to double count. We have proposed an alternative metric, and we have demonstrated that it is unique in satisfying five axioms. We have also explored the implications of using the metric in distance-based judgment aggregation. Additionally, we have shown how the metric can be used to derive a measure of distance between preference rankings.

We hope that this paper stimulates further work on metrics for judgment sets. Do better metrics exist than the one we have described here? What are the implications of these alternative metrics for judgment aggregation? In addition, can an axiomatic basis be found for the distance-based procedure itself?¹⁵ We leave these questions to future research.

References

- [1] Arrow KJ (1963) *Social Choice and Individual Values*. Wiley: New York

¹⁵This last question would mirror what Young and Levenglick (1978) achieved for Kemeny's original social choice rule. This rule applies the Kemeny's metric to the aggregation of preferences.

- [2] Dietrich F (2006) Judgment aggregation: (im)possibility theorems. *Journal of Economic Theory* 126: 286–298
- [3] Dietrich F (2007) A generalised model of judgment aggregation. *Social Choice and Welfare* 28: 529–565
- [4] Dietrich F, List C (2007) Arrow’s theorem in judgment aggregation. *Social Choice and Welfare* 29: 19-33
- [5] Dietrich F, List C (2009) Propositionwise judgment aggregation: the general case. Working paper, London School of Economics
- [6] Dietrich F, List C (2010) The aggregation of propositional attitudes: towards a general theory. *Oxford Studies in Epistemology*, volume 3
- [7] Dietrich F, Mongin P (2010) The premiss-based approach to judgment aggregation. *Journal of Economic Theory* 145: 562-582
- [8] Dokow E, Holzman R (2010) Aggregation of binary evaluations. *Journal of Economic Theory* 145: 495–511
- [9] Duddy C, Piggins A (2009) Many-valued judgment aggregation: characterizing the possibility/impossibility boundary for an important class of agendas. Working paper, NUI Galway.
- [10] Duddy C, Piggins A (2010) Aggregating partitions. Working paper, NUI Galway.
- [11] Kemeny JG (1959) Mathematics without numbers. *Daedalus* 88: 577-591
- [12] Kemeny JG, Snell JL (1962) *Mathematical Models in the Social Sciences*. Ginn: New York

- [13] Konieczny S, Pino Pérez R (2002) Merging information under constraints: A logical framework. *Journal of Logic and Computation* 12: 773–808
- [14] Kornhauser LA (1992) Modelling collegial courts II: legal doctrine. *Journal of Law, Economics and Organization* 8: 441-470
- [15] Kornhauser LA, Sager LG (1993) The one and the many: adjudication in collegial courts. *California Law Review* 81: 1-59
- [16] List C (2008) Which worlds are possible? A judgment aggregation problem. *Journal of Philosophical Logic* 37: 57-65
- [17] List C, Pettit P (2002) Aggregating sets of judgments: an impossibility result. *Economics and Philosophy* 18: 89–110
- [18] List C, Polak B (2010) Introduction to judgment aggregation. *Journal of Economic Theory* 145: 441-446
- [19] List C, Puppe C (2009) Judgment aggregation: a survey. In: Anand P, Pattanaik P, and Puppe C (eds) *The Handbook of Rational and Social Choice*. Oxford University Press: Oxford
- [20] Miller MK, Osherson D (2009) Methods for distance-based judgment aggregation. *Social Choice and Welfare* 32: 575-601
- [21] Nehring K, Puppe C (2002) Strategy-proof social choice on single-peaked domains: possibility, impossibility and the space between. Working paper, University of California at Davis
- [22] Nehring K, Puppe C (2010) Abstract Arrowian aggregation. *Journal of Economic Theory* 145: 467–494
- [23] Pigozzi G (2006) Belief merging and the discursive dilemma: an argument-based account to paradoxes of judgment aggregation. *Synthese* 152: 285-298

- [24] Young HP, Levenglick A (1978) A consistent extension of Condorcet's election principle. *SIAM Journal of Applied Mathematics* 35: 285-300